

## STIRINOL™ 92

**STIRINOL™ 92** is a multi-purpose, heatset compound formulated to exhibit suitable slip and rub in heatset inks used to print publication inserts, catalogs and tabloids. **STIRINOL™ 92** is easily dispersed, does not diminish gloss and has exceptional re-crystallization resistance. It can also be supplied in liquid bulk and added directly to the ink while processing. **STIRINOL™ 92** should be used as a direct drop in for conventional 50% solids compounds. The recommended usage level is 3 to 6%.

### Applications

Heatset offset inks, sheetfed offset inks, and flushing vehicles.

- ▲ Slip and rub for publication applications**
- ▲ Exceptional re-crystallization resistance during ink processing**
- ▲ Minimal effect on rheology**
- ▲ Easily pumped and dispersed from drum or liquid bulk storage**

### Typical properties

Property	Value	Unit	Test Method
Grind (7 % in ink)	N-0	-	NPIRI Gage units, BAX-QC-201
Peppering (7 % in ink)	N-2	-	NPIRI Gage units, BAX-QC-201
Appearance	Light beige, soft paste	-	Compared to standard
Percent Non-Volatile	60	%	BAX-QC-195

Updated March 7, 2025 by AH

### Packaging

STIRINOL™ 92 is shipped in 350 lb drums or in 1000 lb crates.

### Shelf life and storage conditions

When stored properly, shelf life from date of production is approximately 12 months. The product should be stored at temperatures ideally between 10 and 30°C (50-86°F). The packaging should be kept tightly closed and stored in dry conditions. An increase in viscosity or skinning is possible if the product is stored in wrong conditions or left exposed to air for an extended period of time.

**Product carbon footprint** calculated in line with ISO14040 standard is available upon request.

® and ™ Licensed trademarks of Lawter, Inc.

#### Disclaimer

The information provided herein was believed by Lawter, Inc. ("Lawter") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for its intended use. All products supplied by Lawter are subject to Lawter's terms and conditions of sale.

LAWTER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY LAWTER, except that the product shall conform to Lawter's specifications. Nothing contained herein constitutes an offer for the sale of any product.